

## Continuous-flow synthesis of high-quality few-layer antimonene hexagons

Marta Alcaraz,<sup>1</sup> Iñigo Torres,<sup>2</sup> Roger Sanchis-Gual,<sup>1</sup> Jose A. Carrasco,<sup>1</sup> Michael Fickert,<sup>3</sup> Mhamed Assebban,<sup>3</sup> Carlos Gibaja,<sup>2</sup> Christian Dolle,<sup>1</sup> D. A. Aldave,<sup>4</sup> C. Gómez-Navarro,<sup>4</sup> E. Salagre,<sup>4</sup> E. García Michel,<sup>4</sup> J. Gómez-Herrero,<sup>4</sup> M. Varela,<sup>5</sup> Félix Zamora<sup>2,\*</sup> & Gonzalo Abellán<sup>1,3,\*</sup>

<sup>1</sup>Instituto de Ciencia Molecular (ICMol). Universidad de Valencia, Catedrático José Beltrán 2, 46980, Paterna, Valencia, Spain. <sup>2</sup>Departamento de Química Inorgánica, Institute for Advanced Research in Chemical Sciences (IAdChem) and Condensed Matter Physics Center (IFIMAC). Universidad Autónoma de Madrid, 28049, Madrid, Spain. <sup>3</sup>Department of Chemistry and Pharmacy & Joint Institute of Advanced Materials and Processes (ZMP). Friedrich-Alexander-Universität Erlangen-Nürnberg (FAU), Dr.-Mack-Straße 81, 90762, Fürth, Germany. <sup>4</sup>Departamento de Física de la Materia Condensada and Condensed Matter Physics Center (IFIMAC). Universidad Autónoma de Madrid, 28049, Madrid, Spain. <sup>5</sup>Facultad de CC. Físicas and Instituto Pluridisciplinar, Universidad Complutense de Madrid, 28040, Madrid, Spain.

marta.alcaraz@uv.es

### Abstract

2D-Pnictogens (P, As, Sb and Bi) have gained increasing attention due to their semiconducting behavior, with thickness-dependent band gaps that can be modulated by strain, doping or chemical functionalization, which can be useful for fabricating optoelectronic devices. Additionally, these 2D-materials offer unique photonic, catalytic, magnetic, and electronic properties. [1] Within this group, antimonene shows exceptional physico-chemical properties. Although some of its theoretically-predicted remarkable properties have already been experimentally demonstrated, others remain a challenge to corroborate because of the absence of a suitable synthetic method to produce the required high-quality material. [2] Antimonene can be isolated using top-down and bottom-up approaches. [3,4] A new bottom-up approach has been recently reported, involving a solution phase synthesis of well-defined hexagonal few-layer antimonene via anisotropic growth, [5] which has facilitated large-scale production of this material. In this context, we optimized the synthetic parameters for the production of high quality few-layer antimonene hexagons, and their implementation in a large-scale manufacturing process under continuous-flow conditions to pave the way for optoelectronic device fabrication. [6]

### References

- [1] Carrasco, J.A. et al. Chemistry of Antimonene: Understanding the next-generation 2D material (Submitted).
- [2] Antonatos, N. et al. Applied Materials Today, 2020, 18, 100502.
- [3] Assebban, M. et al. 2D Materials, 2020, 7, 025039.
- [4] Wu, X. et al. Advanced Materials, 2017, 29, 1605407.
- [5] Peng, L. et al. Angewandte Chemie International Edition, 2019, 58, 9891-9896.
- [6] Torres. I. et al. Advanced Functional Materials, 2021, 2101616.