

Large-scale production of 2D crystals for energy applications

Francesco Bonaccorso^{1,2}

BeDimensional SpA, Via Lungotorrente Secca 3d, 16163 Genova, Italy
Istituto Italiano di Tecnologia, VIA morego 30, 16163 Genova, Italy

f.bonaccorso@bedimensional.it

Abstract

The development of industrial-scale, reliable, inexpensive production processes of graphene and related two-dimensional materials (GRMs)[1,2] is a key requirement for their widespread use in several application areas,[1-6] providing a balance between ease of fabrication and final product quality.

In particular, in the energy sector, the production of GRMs in liquid phase [2,6] represents a simple and cost-effective pathway towards the development of GRMs-based energy devices, presenting huge integration flexibility compared to other production methods. Here, I will first present our strategy to produce GRMs on large scale by wet-jet milling [7] of their bulk counterpart and then an overview of their applications for energy conversion and storage devices. [3,8-18]

REFERENCES

- [1] F. Bonaccorso, et. al., *Adv. Mater.* 28, 6136-6166 (2016).
- [2] F. Bonaccorso, et al., *Materials Today*, 15, 564-589, (2012).
- [3] F. Bonaccorso, et. al., *Nature Photonics* 4, 611-622, (2010).
- [4] E. Pomerantseva, et al., *Science* 366 (6468) eaan8285 (2019).
- [5] G. Iannaccone, et al., *Nature Nanotech* 13, 183, (2018).
- [6] A. C. Ferrari, F. Bonaccorso, et al., *Nanoscale*, 7, 4598-4810 (2015).
- [7] A. E. Del Rio Castillo et. al., *Mater. Horiz.* 5, 890 (2018).
- [8] F. Bonaccorso, et. al., *Science*, 347, 1246501 (2015).
- [9] M. Garakani, et al. *Energy Storage Materials* 34, 1-11 (2020).
- [10] H. Sun, et al. *2D Materials* 5, 01502 (2018).
- [11] G. Longoni, et al. *Nano Energy* 51, 656-667 (2018).
- [12] S. Bellani, et al. *Nano Lett.* 18, 7155-7164 (2018).
- [13] V. Romano, et al. *ChemPlusChem* 84, 882-892 (2019).
- [14] A. E. Del Rio Castillo, et al., *Chem. Mater.* 30, 506-516 (2018).
- [15] S. Bellani, et al. *Nanoscale Horizons* 4, 1077 (2019).
- [16] S. Bellani, et al. *Adv. Funct. Mater.* 29, 1807659 (2019).
- [17] L. Najafi et al., *Advanced Energy Materials* 8 (16), 1703212 (2018).
- [18] E. Lamanna et al., *Joule* 4, 865-881 (2020).