

Eleni C. VERMISOGLOU, Petr Jakubec, Aristides BAKANDRITSOS, Martin Pykal, Smita TALANDE, Vojtěch KUPKA, Radek ZBOŘIL, Michal OTYEPKA* Regional Centre for Advanced Technologies and Materials, Department of Physical Chemistry, Faculty of Science, Palacký University Olomouc, 17. listopadu 1192/12, 771 46 Olomouc, Czech Republic

INTRODUCTION

Supercapacitors (SCs) are the promising next generation energy storage devices, owing their rapid charge/discharge, high power and long lifetime. However, low energy density of SCs compare to batteries limits their application in several devices [1].Graphene is considered as promising electrode material due to its high conductivity, excellent mechanical strength, large surface area and high theoretical capacitance [2]. Although, the restacking of the graphene nanosheets during electrode preparation and/or charging-discharging for large number of cycles, reduce the active sites of the electrode surface, this results in low ion diffusion that eventually reduce the capacitance and cycling stability of the graphene electrodes [3]. The covalent functionalization of graphene with suitable organic molecules is a effective strategy for bypassing the restacking of the layers. Moreover, non-agglomerated organic molecules bonded with the single sheet of graphene may enlarge the interlayer spacing which can enhance the ion diffusion and hence the electrochemical performance of the SCs.

METHODOLOGY

We developed a covalent functionalization of graphene with a zwitterionic organic moiety through the nucleophilic substitution reaction of Fluorographene (FG) with 5- aminoisophthalic acid (Niso) by adopting facile, one-step and up-scalable synthetic procedure (Fig.1). The degree of functionalization was controlled by varying the reaction time and the electrochemical performance were studied based on effect of tuning of degree of chemical functionalization [4].



Figure 2: (a-d) Electrochemical study of FG/Niso (e) MD simulations showing changes in the



packing of the structure with respect to increasing pH [4].

The functionalized graphene FG/Niso, acquired high performance than rFG. Although, the sp.capacitance is higher at certain degree of functionalization obtained by reaction time 24h with excellent rate capability. The acidic pH spread out the sheets and provide large surface area accessible for electrode-electrolyte interaction.



Wavenumbers (cm⁻¹)

Binding Energy (eV)

Figure 1: (a) Schematic representation of preparation of FG functionalized with Niso. (b) FTIR spectra of GrF and FG/Niso-24h. (c) Deconvoluted XPS spectra of N 1s for FG/Niso-24h and Niso [4].

The symmetric cell showed good ion diffusion hence the better rate performance and cycling stability. Overall, the covalently functionalized graphene derivative were studied based on degree of functionalization and the pH of electrolyte using this knowledge the electrode material were developed that showed improved sp. capacitance with good rate and stability. These findings provide important insights into the role of chemical composition on capacitance and pave the way toward designing more efficient graphene-based supercapacitor electrode materials.

CONTACT PERSON

Smita Talande smita.talande01@upol.cz

REFERENCES

- 1. Simon, P. & Gogotsi, Y., Nature Materials 7, (2008) 845–854.
- 2. Geim, A. K.; Novoselov, K. S.Nature Materials (2007), 6 (3), 183-191.
- 3. Peng, X. et al. Nature Communications 7, (2016),1–8.
- 4. Vermisoglou, E. C. et al. Chem. Mater. 31, (2019) 4698–4709.

ACKNOWLEDGEMENT

The financial support by the Operational Programme Research, Development and Education – European Regional Development Fund, Project No. CZ.02.1.01/0.0/0.0/16_019/0000754 of the Ministry of Education, Youth and Sports of the Czech Republic and the Internal Grant Agency (IGA) of the Palacký University in Olomouc (Project No. IGA_PrF_2019_023) is acknowledged.

