## **Zheng Jian**

Institute of Chemistry Chinese Academy of Sciences

zhengjian@iccas.ac.cn

## Single Layer TMD Fabrication and Rolling up into Nanoscrolls


Transition metal dichalcogenides like molybdenum disulphide have attracted great interest as two-dimensional materials beyond graphene due to their unique electronic and optical properties. The scalable fabrication of atomically thin transition metal dichalcogenides is vital for industrial applications. We demonstrated a high-yield exfoliation process using lithium, potassium and sodium naphthalenide where an intermediate ternary LixMXn crystalline phase (X=selenium, sulphur, and so on) is produced. Using a two-step expansion and intercalation method, we produce high-quality single-layer molybdenum disulphide sheets with unprecedentedly large flake size, that is up to 400 mm2. Single-layer dichalcogenide inks prepared by this method may be directly inkjet-printed on a wide range of substrates.

The self-assembly of transition metal dichalcogenides flakes, as an emerging area, is largely unexplored. Highquality nanoscrolls rolled up from chemical vapour deposition-grown transition metal dichalcogenides flakes were demonstrated. Based on the internal open topology, nanoscrolls hybridized with a variety of functional materials have been fabricated, which is expected to confer transition metal dichalcogenides nanoscrolls with additional properties and functions attractive for potential application.

## References

- [1] Jian Zheng, et al, Nat.Commun., 5 (2014) 2995.
- [2] Jian Zheng, et al, Nat.Commun., 9 (2018) 1301

## Figures



**Figure 1:** a, Optical image of CVD-grown MoS2 monolayer flakes on a SiO2/Si substrate. b, Optical image of MoS2 nanoscrolls on a SiO2/Si substrate. c, SEM images of MoS2 nanoscrolls. d, TEM images of MoS2 nanoscrolls. Inset: High-magnification images of sidewalls of MoS2 nanoscrolls. (Scale bars, 500 µm in a, 100 µm in b, 5 µm in f and 2 nm for the inset).