

Giant Optical Anisotropy in Van der Waals Materials: Perspectives and Challenges

Volkov V.S.¹

Ermolaev G.A.¹, Grudin D.V.¹, Voronin K.V.², Vyshnevyy A.A.¹, Mazitov A.B.³, Tselikov G.I.¹, Kruglov I.A.¹, Ghazaryan D.A.⁴, Martin-Moreno L.⁵, Arsenin A.V.¹, Novoselov K.S.⁶

¹Emerging Technologies Research Center, XPACEO, Dubai Investment Park 1, Dubai, UAE

²Donostia International Physics Center (DIPC), Donostia/San Sebastián 20018, Spain

³Institute of Materials, École Polytechnique Fédérale de Lausanne, 1015 Lausanne, Switzerland

⁴Laboratory of Advanced Functional Materials, Yerevan State University, Yerevan, Armenia

⁵Instituto de Nanociencia y Materiales de Aragón (INMA), CSIC-Universidad de Zaragoza, 50009 Zaragoza, Spain

⁶Department of Materials Science and Engineering, National University of Singapore, Singapore, 03-13 09 EA, Singapore

vsv@xpaceo.com

Materials with high optical anisotropy are of great importance in technology and science [1]. Recently, one of the largest birefringence in the visible and near-infrared intervals up to 0.8 was reported in quasi-one-dimensional crystal BaTiS₃ [2]. However, anisotropic nanophotonics requires optical anisotropy of about 1.5 to fully exploit advantages of anisotropic properties [3, 4]. Inspired by this challenge, we focused on two-dimensional materials and their bulk counterpart – van der Waals (vdW) materials. Our findings showed that their fundamental difference between interlayer strong covalent bonding and interlayer weak van der Waals interaction leads to unprecedented high birefringence with values exceeding 1.5 in the infrared and 3.0 in the visible spectral intervals. Thus, our studies enable a new field of vdW anisotropic nanophotonics.

References

- [1] G. Ermolaev *et al.*, Nature Communications, 12 (2021) 854.
- [2] Niu *et al.*, Nature Photonics, 12 (2018) 392-396.
- [3] G. Ermolaev *et al.*, Photonics, 9 (2022) 744.
- [4] S. Jahani *et al.*, Nature Communications, 9 (2018) 1893.